

This manuscript has been accepted for publication in *Comparative Cognition & Behavior Reviews.*

ManyDogs Project: A Big Team Science Approach to Investigating Canine Behavior and  
Cognition

ManyDogs Project, Daniela Alberghina<sup>1</sup>, Emily E. Bray<sup>2,3</sup>, Daphna Buchsbaum<sup>4</sup>, Sarah-Elizabeth Byosiere<sup>5†</sup>, Julia Espinosa<sup>6</sup>, Gitanjali E. Gnanadesikan<sup>2,7</sup>, C.-N. Alexandrina Gurau<sup>8,9</sup>, Elizabeth Hare<sup>10</sup>, Daniel J. Horschler<sup>11</sup>, Ludwig Huber<sup>12,13</sup>, Valerie A. Kuhlmeier<sup>14</sup>, Evan L. MacLean<sup>15,16</sup>, Madeline H. Pelgrim<sup>4</sup>, Bryan Perez<sup>5</sup>, Dana Ravid-Schurr<sup>5,17</sup>, Liza Rothkoff<sup>5</sup>, Courtney L. Sexton<sup>18</sup>, Zachary A. Silver<sup>11</sup>, Jeffrey R. Stevens<sup>19</sup>

<sup>1</sup>Department of Veterinary Sciences, University of Messina, Messina, Italy, <sup>2</sup>School of Anthropology, University of Arizona, Tucson, Arizona, USA, <sup>3</sup>Canine Companions for Independence, Santa Rosa, California, USA, <sup>4</sup>Cognitive, Linguistic and Psychological Sciences Department, Brown University, Providence, Rhode Island, USA, <sup>5</sup>Thinking Dog Center, Department of Psychology, Hunter College, City University of New York, New York City, New York, USA, <sup>6</sup>Department of Human Evolutionary Biology, Harvard University, Cambridge, Massachusetts, USA, <sup>7</sup>Cognitive Science Program, University of Arizona, Tucson, Arizona, USA, <sup>8</sup>Cognitive Science Hub, Faculty of Psychology, University of Vienna, Vienna, Austria, <sup>9</sup>Social, Cognitive and Affective Neuroscience (SCAN) Unit, Department of Cognition, Emotion, and Methods in Psychology, Faculty of Psychology, University of Vienna, Vienna, Austria, <sup>10</sup>Dog Genetics LLC, New York City, New York, USA, <sup>11</sup>Department of Psychology, Yale University, New Haven, Connecticut, USA, <sup>12</sup>Messerli Research Institute, Vienna, Austria,

<sup>13</sup>University of Veterinary Medicine Vienna, Vienna, Austria, <sup>14</sup>Department of Psychology, Queen's University, Kingston, Ontario, Canada, <sup>15</sup>College of Veterinary Medicine, University of Arizona, Tucson, Arizona, USA, <sup>16</sup>Department of Psychology, University of Arizona, Tucson, Arizona, USA, <sup>17</sup>College of Staten Island & The Graduate Center, City University of New York, New York City, New York, USA, <sup>18</sup>Center for the Advanced Study of Human Paleobiology, The George Washington University, Washington, DC, USA, <sup>19</sup>Department of Psychology, Center for Brain, Biology & Behavior, University of Nebraska-Lincoln, Lincoln, Nebraska, USA

<sup>†</sup>Correspondence should be addressed to Sarah-Elizabeth Byosiere; E-mail:  
[manydogsproject@gmail.com](mailto:manydogsproject@gmail.com)

Daniela Alberghina, <https://orcid.org/0000-0003-2826-0325>;  
Emily E Bray, <https://orcid.org/0000-0002-3230-0636>;  
Daphna Buchsbaum, <https://orcid.org/0000-0002-8716-7756>;  
Sarah-Elizabeth Byosiere, <https://orcid.org/0000-0002-3583-6778>;  
Julia Espinosa, <https://orcid.org/0000-0003-0780-2762>;  
Gitanjali E Gnanadesikan, <https://orcid.org/0000-0002-1485-5574>;  
C.-N. Alexandrina Guran, <https://orcid.org/0000-0001-5241-8183>;  
Elizabeth Hare, <https://orcid.org/0000-0002-3978-2543>;  
Daniel J Horschler, <https://orcid.org/0000-0003-0440-8217>;  
Ludwig Huber, <https://orcid.org/0000-0002-0217-136X>;  
Valerie A Kuhlmeier, <https://orcid.org/0000-0003-0440-0477>;  
Evan L MacLean, <https://orcid.org/0000-0001-7595-662X>;

Madeline H Pelgrim, <https://orcid.org/0000-0002-4127-2884>;

Bryan Perez, <https://orcid.org/0000-0003-0319-4608>;

Dana Ravid-Schurr, <https://orcid.org/0000-0003-3950-4735>

Liza Rothkoff, <https://orcid.org/0000-0003-3194-3979>;

Courtney L Sexton, <https://orcid.org/0000-0003-0174-7459>;

Zachary A Silver, <https://orcid.org/0000-0002-2379-2114>;

Jeffrey R Stevens, <https://orcid.org/0000-0003-2375-1360>

## Abstract

Dogs have a special place in human history as the first domesticated species and play important roles in many cultures around the world. However, their role in scientific studies has been relatively recent. With a few notable exceptions (e.g., Darwin, Pavlov, Scott, and Fuller), domestic dogs were not commonly the subject of rigorous scientific investigation of behavior until the late 1990s. While the number of canine science studies has increased dramatically over the last 20 years, most research groups are limited in the inferences they can draw due to the relatively small sample sizes used, along with the exceptional diversity observed in dogs (e.g., breed, geographic location, experience). To this end, we introduce the ManyDogs Project, an international consortium of researchers interested in taking a big team science approach to understanding canine behavioral science. We begin by discussing why studying dogs provides valuable insights into behavior and cognition, evolutionary processes, human health, and applications for animal welfare. We then highlight other big team science projects that have previously been conducted in canine science and emphasize the benefits of our approach. Finally, we introduce the ManyDogs Project and our mission: (1) replicating important findings, (2) investigating moderators that need a large sample size such as breed differences, (3) reaching methodological consensus, (4) investigating cross-cultural differences, and finally (5) setting a standard for replication studies in general. In doing so, we hope to address previous limitations in individual lab studies and previous big team science frameworks to deepen our understanding of canine behavior and cognition.

*Keywords:* Dogs, ManyDogs, Big Team Science, Canine Science, Replication

## Introduction

When asked to think back to one's last interaction with a dog, each of us would likely describe something different. Some might imagine an intent border collie herding its charges through a pasture, others will recount their friend's lap dog begging for treats, others again recall a feisty dachshund hunting in the forest. A hallmark of domestic dogs (*Canis familiaris*) is the extraordinary range of variation they exhibit, not just in size, shape, and color, but particularly in behavior and disposition. And this behavior offers a window into their cognition, how they process information in their environment. From selecting service dogs to training pet dogs, measuring behavior and cognition is vital to understanding dogs and their relationships with people.

From a scientific perspective, the variation observed in dogs makes them an ideal and unique study system for behavior and cognition that provides exciting opportunities as well as frustrating challenges. Centuries of selective breeding have resulted in hundreds of different dog breeds, many of which were selected for particular behavioral traits and their ability to carry out specific tasks (for a review see Serpell & Duffy, 2014). Despite this selection process, and our intuitive impression that dog breeds differ in their behavioral traits and cognitive abilities, the scientific evidence for such differences is limited, and many questions remain about the connection between breed and behavior (Mehrjam & Wynne, 2014; Morrill et al., 2022; Svartberg, 2005). Moreover, across cultures, there is massive variation in both the human environment in which dogs live and in the ways and the extent to which people interact with dogs (Serpell, 2017). How individuals in different societies perceive the value and role of dogs also shapes dogs' behavior (Wan et al., 2009) and results in additional variation, leading to critical questions about the role of the social environment on dog behavior and cognition.

As a result, dogs are uniquely positioned to help us answer questions about the evolution of behavior and cognition, as well as the influence of the environment on behavior. Yet several practical challenges impede our ability to address these questions appropriately. Most of the challenges stem from the relatively small sample sizes that individual research groups can collect—typically fewer than 100 subjects—coupled with the enormous variation observed across dogs (e.g., Bensky et al., 2013). Therefore, sampling variability may result in different outcomes when drawing from relatively small samples, which may lead to mixed results across studies. For instance, Brady et al., (2018) found that owner perceptions of their dogs' impulsivity matched their behavioral measures, which suggests they are relatively accurate. Using larger sample sizes, however, Mongillo et al., (2019) and Stevens et al., (2022) did not find a relationship between owner perceptions and behavioral measures of impulsivity.

Mixed results found across different studies could also stem from the use of different methods or other moderators such as dogs' training histories (Marshall-Pescini et al., 2008, 2009; Osthäus et al., 2005; Silver et al., 2021), breed (Gnanadesikan et al., 2020; Horschler et al., 2019), or cultural differences across study samples (Stevens et al., 2022; Wan et al., 2009). As a result, even if an individual lab is able to test several hundred dogs in a pre-registered study with the video-recordings of all tests publicly available (Lonardo et al., 2021), some of the above-mentioned issues remain.

The problem of subsequent studies failing to replicate previous research is not unique to canine science (Camerer et al., 2018; Errington et al., 2014; Open Science Collaboration, 2015). A number of solutions have been proposed, including pre-registration of studies, publicly posting data and analyses, and considering alternatives to null-hypothesis significance testing (Asendorpf et al., 2013; Wagenmakers, 2007). In particular, big team science approaches have been initiated

to address issues of replicability by bringing together multiple labs across the world to use the same methods and aggregate their data (Forscher et al., 2022). Here we introduce the ManyDogs Project (referred to throughout as ManyDogs), a big team science approach to not only help address replicability problems but also to provide opportunities to answer questions that cannot be easily addressed in single laboratories. ManyDogs is a large-scale, multi-lab collaboration akin to those used with infants (Frank et al., 2017; The ManyBabies Consortium, 2020), nonhuman primates (Many Primates et al., 2019), and avian species (ManyBirds; Lambert et al., 2022).

Assembling experts in canine behavior and cognition allows for the development of methodological best practices, which we extend by formalizing and promoting open science practices to improve replicability. Further, combining data across many labs not only provides the sample sizes large enough to overcome the sampling variability problem, but it also allows researchers to investigate questions that are unanswerable with smaller samples, notably how variation in breed or cultural differences may impact results. In short, the following big team science approach provides a unique opportunity to utilize canine expertise and large sample sizes to advance the field of canine behavioral science. The big team science approach is not intended to replace single lab studies but to complement them, since collaboration and creative minds in small groups are needed to advance research. With ManyDogs—an ongoing effort that leverages an international collaborative network of researchers aligning their efforts toward common goals—we can solve problems inherent to single-lab studies and help converge on answers to complex questions.

To be clear, big team approaches cannot solve all the replication issues facing behavioral science. Big team science does not inherently improve statistical, registration, or reporting

practices, though individual teams may engage those practices. In fact, there can be drawbacks to this approach. Though often larger sample sizes can help generate stronger inferences, this is not always the case. Very large sample sizes coupled with null-hypothesis testing can result in false positives, where small differences across variables (resulting from sampling error) result in ‘statistically significant differences’ at large sample sizes (Armstrong, 2019). Despite this possibility, the sample sizes feasible for our ManyDogs project are likely in the hundreds rather than thousands, reducing the chances of these false positives. Large sample sizes can also result in ethical concerns associated with unnecessary animal testing. Given the voluntary nature of ManyDogs participation, this is less of a concern for our project. Moreover, the benefits of larger sample sizes, such as the ability to include phylogenetic statistical methods to examine breed differences, are incredibly helpful for novel tests of canine behavior and cognition.

To introduce ManyDogs, we first review the question “*why dogs?*” Namely, we discuss the extent to which dogs, as a study system, can (1) yield insights into the evolutionary origins of various cognitive abilities, (2) advance our understanding of genetic and environmental impacts on human health, (3) inform theories regarding social cognition, and, (4) increase canine and human welfare by improving our understanding of the behavioral and cognitive traits that underlie dogs’ unique bond with humans and by enhancing our dog training protocols for working roles. We then review recent big team science initiatives in both canine science and other subfields of psychology. Finally, we explore how the big team science framework might best be applied to canine research and how ManyDogs can enhance our understanding of canine cognition and behavior.

## Why Dogs?

Studying dogs has practical and applied implications given the many roles that dogs fill in our societies (for an overview of the natural history of dogs see Miklósi, 2018). The domestic dog is also very interesting from a basic science point of view and, over the last two decades, has become an especially important species in the field of comparative psychology (Morell, 2009). Although dog research has a long history, with the studies of Darwin, Lubbock, and Pavlov as famous historical examples, cognitive and behavioral studies with dogs only became commonplace after the 1990s (for a historical review see Feuerbacher & Wynne, 2011). The canine research that has unfolded since this time has demonstrated that dogs are an ideal study system not only for cognitive and behavioral research, but also for evolutionary, health, and applied questions (Horowitz, 2014; Kaminski & Marshall-Pescini, 2014; Miklósi, 2015).

### *Evolutionary origins of cognition and behavior*

Dogs are uniquely positioned to offer insights about evolutionary processes. Evidence from the paleo archaeological record suggests that dogs were the first animals to be domesticated by Pleistocene-era humans (*Homo sapiens*), and were domesticated from an ancestral wolf (also the ancestor of modern wolves) between 14,000-40,000 years ago (Clutton-Brock, 2016; Germonpré et al., 2012; Perri et al., 2021; Thalmann et al., 2013).

Several authors hypothesize that, along with numerous changes in size and appearance, domestication has had particularly important effects on dog social behavior and cognition, altering the extent to which dogs accept and interact with humans as cooperative partners. Although the specific cognitive and behavioral changes that occurred during dogs' domestication continue to be debated (Hare & Tomasello, 2005; Lazzaroni et al., 2020; Udell et al., 2010),

along with multiple theories about the nature of the selection process leading to domestication (Coppinger & Coppinger, 2002; Serpell, 2021), investigating both the process of domestication, and the nature of the behavioral and cognitive changes it produces, can provide powerful insights about the *mechanisms* of cognitive and behavioral evolution.

Notably, some researchers have proposed that the process of domestication in dogs resulted in convergent evolution with humans, with selection favoring social skills for cooperation in dogs that were also important in the evolution of our species (Hare & Tomasello, 2005; MacLean et al., 2017; Topál et al., 2009). Indeed, some provocative hypotheses suggest that selection for “friendliness” may be a driving force in the physical and cognitive changes seen in domestication (Trut, 1999) and that recent human evolution can perhaps be characterized as “self-domestication,” a similar, but self-imposed, selective pressure for prosocial behavior resulting in species-wide “friendliness” (Hare, 2017; Wrangham, 2019). A better understanding of dog domestication has potential to illuminate important transitions in the evolution of our own species (but see Range & Marshall-Pescini, 2022).

Soon after dogs were domesticated, humans learned to domesticate other animals and crops (Larson & Bradley, 2014), which in turn altered the social structure of settlements and trade. As globalization made various forms of hunting, farming, and other activities more specialized, dogs too, were bred for specific traits and behaviors to enhance their working ability (Parker et al., 2017). More recently, the formation of modern dog breeds for both function and appearance has involved major population bottlenecks, with new breeds often created from a small number of founding individuals and relying on closed breeding pools, giving rise to genetically differentiated subpopulations that are characterized by dramatic phenotypic diversity (vonHoldt et al., 2010). Among mammals, modern dogs are commonly recognized as the most

phenotypically diverse species (Ostrander et al., 2019; Vilà et al., 1999), with remarkable intraspecific variation in size, physical appearance, behavior, disease risk, and lifespan.

This genetic diversity (further described below) has been used profitably as a model for understanding the evolution and genetic bases of complex traits in many arenas. Chiefly, genetic polymorphisms associated with breed differences in cognitive processes, including inhibitory control, communication, memory, and physical reasoning are starting to be identified, and are further reflected in neuroanatomical variation across breeds (Gnanadesikan et al., 2020; Hecht et al., 2019). Tracing canine lineages via modern breed genetics can, in some instances, also be a useful proxy for investigating historic human population movements and associated cultural variation (Barrios et al., 2022; Bergström et al., 2020; Perri et al., 2021). However, fully leveraging modern dog breed diversity as one of the most significant “real-time” multi-purpose evolutionary genetics experiments relies on overcoming the limitations of small sample sizes; coordinated data sharing efforts such as ManyDogs can help to achieve this goal.

#### *Genetic and environmental impacts on health*

In recent decades, scientists have developed a new appreciation for the unique features of dogs that confer advantages in preclinical and translational health research (Bódizs et al., 2020; Hoffman et al., 2018; Mazzatorta et al., 2017; Rowell et al., 2011). Compared to inbred strains of laboratory organisms, the genetic and phenotypic variation among dogs provides unparalleled opportunities for understanding the biological bases of complex traits. Additionally, unlike laboratory animals, companion dogs develop and age in the same environments as humans, have access to sophisticated health care, and like their human caretakers, engage in highly variable lifestyles (Kaeberlein et al., 2016). These factors make dogs a much more realistic model for many aspects of human health than traditional model organisms.

Our emerging understanding of genetic diversity in dogs (Ostrander et al., 2019) has had important implications for varied areas of medical research. For example, dog breeds vary substantially in their risk for specific diseases, which has facilitated the discovery of genetic variants contributing to cancer, epilepsy, thyroid, and autoimmune diseases, to name a few (Sutter & Ostrander, 2004). Dogs have also proven to be a valuable model for studies of human mental health, including obsessive compulsive disorder (Dodman et al., 2010), attention deficit hyperactivity disorder (Sulkama et al., 2021), and Williams-Beuren syndrome (VonHoldt et al., 2017). Lastly, dogs have recently become an important model in studies of aging (Ruple et al., 2021) and recent work has proposed dogs as a model species for studying the effect of aging on sleep and cognition (Bódizs et al., 2020). Regarding cognition, dogs are susceptible to dementia which mimic core features of Alzheimer's disease (Head, 2013). The further development of dog models of Alzheimer's disease will require well-validated measures to identify cognitive impairments in aging dogs and to assess the functional consequences of treatments and interventions.

Whereas most medical research to date has focused on a limited number of breeds (Youssef et al., 2016), future work should recruit and test large and diverse samples to characterize normative patterns of cognitive aging and to identify potential risk factors for dementia (Bray, Raichlen, et al., 2022; Bray, Zheng, et al., 2022). These endeavors will benefit greatly from the research infrastructure we envision for ManyDogs.

### *Social-cognitive processes*

Arguably, one of the most interesting outcomes of the domestication process is that the human physical and social environment has become dogs' new ecological niche, with dogs interacting with humans as social partners (Miklósi & Kubinyi, 2016). As a result, in the last two

decades, the publication rate for research on dog cognition and behavior has accelerated faster than of cognitive and behavioral sciences in general, and among the research topics addressed with dogs, social-cognitive processes have been a focus of the majority of papers (Aria et al., 2021). In contrast to non-human primates, dogs exhibit sensitivity to human social cues (e.g., using human pointing gestures to find hidden food; Krause et al., 2018; McCreary et al., 2022; Miklósi et al., 1998), leading researchers to propose that dogs' social-cognitive abilities were strongly shaped by domestication. As noted above, some researchers extended these proposals by hypothesizing that aspects of the social-cognitive abilities of dogs may show convergent evolution with those of humans, making them uniquely "human-like" (e.g., Hare et al., 2002; Hare & Tomasello, 2005; Topál et al., 2009). For recent reviews on hypotheses regarding domestication of dogs and comparisons with wolves, see Kubinyi et al., (2022) and Range & Marshall-Pescini (2022).

In the process of testing this "domestication hypothesis", the value of dogs as a unique study system for fundamental questions regarding social cognition became clear. Some studies addressed questions about the origins and nature of dogs' social cognitive abilities at a more ultimate, phylogenetic level, by comparing dogs with identically raised wolves on a variety of tasks, ranging from point-following to social referencing to humans during "impossible tasks" (e.g., Lampe et al., 2017; Lazzaroni et al., 2020; Marshall-Pescini et al., 2017; Miklósi et al., 2003; Range & Marshall-Pescini, 2022; Virányi et al., 2008). Relatedly, other studies have leveraged our knowledge of the dog genome to elucidate the genetic basis of behavioral and cognitive traits (e.g., MacLean et al., 2019; Morrill et al., 2022; VonHoldt et al., 2017), particularly the aspects of social cognition that are under genetic control in this species (e.g., Bray et al., 2021). Studies have also addressed more proximate causes of social cognitive

abilities, focusing on the role of ontogenetic experiences such as rearing environment and training on social-cognitive development, both of which can be well-documented and, to some extent, easily manipulated in dogs (e.g., Lazarowski & Dorman, 2015; Wynne et al., 2008). Dogs are also particularly amenable to completing cognitive tasks for fMRI, while awake and non-sedated (e.g., Berns et al., 2012; Bunford et al., 2017; Karl et al., 2020). There is a developing body of research in canine cognitive neuroscience, leading to the examination of the neural processes underlying dog cognition (e.g., Berns et al., 2012; Bunford et al., 2017; Huber & Lamm, 2017; Karl et al., 2020; Thompkins et al., 2016).

Though dogs have provided a means of examining social cognitive processes from an evolutionary, phylogenetic, and developmental perspective, many questions remain. For example, there is still a need to disentangle the cognitive processes underlying dogs' ability to selectively imitate (Huber et al., 2020; Range et al., 2007), to use informants' past accuracy (Pelgrim et al., 2021) or knowledge (Catala et al., 2017; Maginnity & Grace, 2014) when choosing between information sources, and to take informants' perspective (Lonardo et al., 2021). These are all highly contentious issues, with controversial viewpoints ranging from low to high-level cognitive explanations (Huber, 2016; Udell & Wynne, 2011; Wynne, 2016). But importantly, these existing studies often also have ambiguous or contradictory results, partly due to small sample sizes, (hidden) lab differences, dogs with varying breed and training history, different experimental protocols (e.g., the dog owner inside or outside the testing room), and cultural differences in methods of rearing and training the subjects. Thus, to fully leverage the study of dogs to further enhance our understanding of the ultimate and proximate causes of social cognition, we will require multi-lab collaboration and communication.

*Best practices for training that enhance canine and human welfare*

Canine science is also an applied science with practical implications; dogs are prevalent in many facets of modern human life, filling myriad societal roles that range from companionship (e.g., pet dogs) to detection and protection (e.g., conservation, search-and-rescue, and police dogs) to assistance work (e.g., guide and service dogs). Scientific studies of canine behavior and cognition can facilitate these roles and relationships by informing the approach of professional handlers, trainers, and breeders. In turn, applied research has started to give insight into typical dog development, such as the normal range and developmental trajectory of behavioral traits, using large-scale owner questionnaires (e.g., Serpell & Hsu, 2001) and behavioral evaluations (e.g., Bray, Gruen, et al., 2021; Serpell et al., 2016; Svartberg, 2005).

Such applied projects within canine science have often aimed to study cognition and behavior in relation to improving the training and breeding of working dogs, to reduce the frequency of ‘failure’ in training programs, and improve the matching of individual dogs to specific jobs (Bergen-Cico et al., 2018; MacLean & Hare, 2018). At research centers (e.g., Canine Performance Sciences at Auburn University, the Penn Vet Working Dog Center) and individual laboratories, studies examine training protocols (e.g., for scent detection training, see Hall et al., 2021) as well as the cognitive, behavioral, environmental, and genetic factors that contribute to working dog outcomes (e.g., Bray, Otto, et al., 2021; Lazarowski et al., 2021).

Further, organizations such as [Guide Dogs for the Blind](#), [Guide Dogs UK](#), [The Seeing Eye](#), [Canine Companions](#), [Healing Companions](#), and [Intermountain Therapy Animals](#) have partnered with academic researchers in order to systematically study questions related to canine behavior within their respective populations and to improve the success rate of their dogs within their training programs (e.g., Bergen-Cico et al., 2018; Bray et al., 2019; Friesen, 2009, p. 1995;

MacLean & Hare, 2018; Pfaffenberger et al., 1976; Serpell et al., 2016; Vaterlaws-Whiteside & Hartmann, 2017; Walther et al., 2017). Recent studies have focused on cognitive tasks such as being able to successfully use information given by a human in a social context and reciprocate human social gaze at a very young age (Bray, Gnanadesikan, et al., 2021; Vaterlaws-Whiteside & Hartmann, 2017). One organization, Canine Companions, has even evaluated the use of neuroimaging techniques to predict future working success (Berns et al., 2017). By generating evidence-based recommendations, canine research is providing working dog trainers and breeders with tools to improve outcomes while prioritizing the welfare of the animals involved (Cobb et al., 2021; MacLean et al., 2021).

Canine science is similarly important for companion dogs, as behavioral challenges are one of the most significant reasons for their relinquishment to shelters (Diesel et al., 2010; Kwan & Bain, 2013). Several applied projects in pet dogs promote ethical re-homing and breeding practices. For example, [The Functional Dog Collaborative](#), [American Society for the Prevention of Cruelty to Animals](#), [Dogs Trust](#), and [Good Dog](#) aim to unite and connect breeders, adopters, shelters, and welfare professionals to facilitate successful homing of pet dogs. To achieve these goals, these projects study behaviors like resource guarding (Mohan-Gibbons et al., 2012), as well as health-related factors including veterinary care, genetic inheritance, and aging.

The existence and success of these projects demonstrate the benefits and feasibility of applying canine research methods to address real-world problems. However, current applied collaborations are almost exclusively confined to single organizations and populations, precluding wide-ranging comparisons. In contrast, a project like ManyDogs has the potential to address a strong need in the field; namely, to provide the framework and infrastructure necessary to develop and apply methodological best practices in a standardized way across academic

research groups as well as non-profit organizations. Ultimately, such a strategy will enable direct comparisons across different breeds, populations, and working roles. It will also allow for conclusions to be drawn that are relevant to smaller groups and organizations that do not have the resources or sample sizes necessary to address these questions on their own.

## **Big Team Science**

Although it is unique in its approach, it is important to highlight that ManyDogs does not represent the first or only example of big team science in the field of canine science. Over the last 20 years, at least nine academically affiliated, large-scale canine behavior and cognition projects have been initiated. These large canine science projects have covered a variety of topics and can best be categorized into two types of team structure. Some large projects are led by a few principal investigators (and, in some cases, an advisory board). Members typically include researchers with varying expertise; for example, one member may design behavioral measures while another analyzes DNA samples. Critically, these projects do not involve multiple labs or research groups running the same experimental protocols and submitting data to a large, shared dataset; however, data collected are typically available for subsequent studies. These projects have often focused on integrating behavior, health, and genomic data from the same individuals and taken a longitudinal perspective. They often incorporate data collected from non-academic members of the community, such as dog owners, with biological analysis done in the researchers' lab. Examples of projects with this type of organizational scheme include [Darwin's Ark](#) (Morrill et al., 2022), the [Dog Aging Project](#) (Creevy et al., 2022), the [Senior Family Dog Project](#), [GenerationPup](#) (Murray et al., 2021), and the [Golden Retriever Lifetime Study](#) (Guy et al., 2015).

Other projects have focused on large scale data collection exclusively via community (“citizen”) science. These projects are led by a few principal investigators, again perhaps with an advisory board, but the projects center around data that are collected outside of a lab setting, submitted from non-academic members of the larger community via video or survey responses. Examples of these projects include the Canine Behavior and Research Questionnaire (C-BARQ), which was designed to evaluate dog behavioral problems and trainability via a survey asking owners about dogs’ behaviors (Duffy & Serpell, 2012; Hsu & Serpell, 2003; Serpell & Hsu, 2001) and Dognition, an effort to develop a large-scale citizen science platform for dog cognition (Stewart et al., 2015). Large citizen science projects like these help to engage the community and provide large, diverse samples that support a broader range of statistical analyses and increase statistical power (Arden et al., 2016; Olsen, 2018).

Until now, a third type of organizational scheme has not been used in canine science, the ‘ManyX’ project. ManyX projects consist of a consortium of independent researchers, each with their own facilities. These big team science collaborations provide a formalized infrastructure for multiple researchers and institutions to contribute to and collect data for shared research questions, fostering continuing collaboration as novel research questions and projects are proposed. ManyX projects are unique in that any researcher with appropriate resources can join and contribute data, and unlike other big team science frameworks, there is not a fixed, predetermined group of principal investigators.

Data collection for ManyX projects is conducted across multiple research sites, each following the same methodological protocol. As one of the first, ManyBabies (Frank et al., 2017) has explored topics of both theoretical and methodological interest (e.g., exploring both infant-directed speech and sources of variability induced by testing procedure and cultural influences

(ManyBabies Consortium, 2020). ManyX projects with nonhuman animal species have facilitated phylogenetic comparisons and countered the challenge of small sample sizes. As an example, [ManyPrimates](#) has examined 176 primates from 12 species (ManyPrimates et al., 2019), and the recently formed [ManyBirds](#) has already considered more than 71 avian species (Lambert et al., 2022). Two other consortia focused on animal cognition have recently been developed, [ManyGoats](#) and ManyFishes. While there are numerous benefits to using the ManyX framework to investigate big team science questions, it is important to highlight that various challenges do exist (Byers-Heinlein et al., 2020; Coles et al., 2022; Forscher et al., 2022). Regardless, there is consensus across ManyX projects that if challenges can be mitigated and barriers can be managed, the benefits of these projects have enormous potential (Forscher et al., 2022). Thus, using the ManyX model, we have created and developed the consortium, ManyDogs, to address key theoretical, practical, and applied research questions in canine science.

### **ManyDogs Project**

ManyDogs is a canine science-focused research consortium that supports the collaborative exploration of shared research questions by creating clear lines of communication among collaborators and promoting the use of open science tools (e.g., pre-registration, open-access publishing, and publicly available data). The consortium fosters an environment which encourages participation across geographic location, career stage, and discipline, employs inclusive authorship practices, and develops easily implementable and affordable methodologies.

The impetus for ManyDogs initially emerged from discussions at a small canine cognition workshop in 2018, building on the desire to collaborate and share expertise across research groups. ManyDogs was founded with five broad scientific aims.

1. Attempt to replicate important studies, especially those with mixed evidence in the literature.
2. Investigate moderators that require large sample sizes (e.g., breed, individual differences, role of training). With each lab contributing a relatively small sample size, this spreads the data collection burden across groups while enabling studies larger than those typically published in canine science.
3. Develop consensus on methodological best practices, both through the process of methods development and standardization for each study and through analyses and reflections on variation among labs, particularly in cases where results are inconsistent across labs.
4. Investigate cultural differences. To date, most individual empirical papers on dog behavior and cognition have been conducted considering dogs from only a single cultural background. However, there are considerable cultural differences in attitudes towards dogs—both within and across countries (Ellingsen et al., 2010; Li et al., 2017; Wan et al., 2009)—and anecdotally, methods of rearing and training also vary widely. How this variation affects dog cognition and behavior, or their measurement, is largely unknown (for a notable exception, see Wan et al., 2009).
5. Set the bar for replicability of studies. As serious as the replication crisis is, we also should not expect real effects to always replicate—both for statistical reasons and for methodological ones (Farrar et al., 2020). ManyDogs will thus shed light on patterns of

replicability across labs. To increase transparency and reproducibility in our research, ManyDogs incorporates core tenants of the STRANGE Framework (Social background; Trappability and self-selection; Rearing history; Acclimation and habituation; Natural changes in responsiveness; Genetic make-up; and Experience), designed to identify sampling biases and to improve reporting standards in animal behavior research (Webster & Rutz, 2020).

Since the inception of ManyDogs, the consortium has developed a Leadership Team consisting of elected co-directors and assistant directors that oversee the consortium's functioning and development. This includes administrative goals such as developing project infrastructure, securing funding, and community building across canine professionals in diverse fields. The high-level purpose of ManyDogs is to promote open science and address replicability through single-protocol empirical studies that are carried out simultaneously across multiple research sites around the world. Neither the topics nor methods of these studies are determined by ManyDogs governing board, rather through a democratic proposal selection process including the consortium as a whole. Once a project proposal is taken up for study development, a small group of researchers oversees the design and implementation across research sites, making decisions guided by the framework of ManyDogs but independent of the consortium's Leadership Team. We describe our first, democratically selected study below.


### *ManyDogs 1*

The first study conducted by the ManyDogs, ManyDogs 1 (ManyDogs Project et al., 2021), evaluates domestic dogs' understanding of a common human gesture, the point (for a review see McCreary et al., 2022). It demonstrates feasibility of big team science in canine science and of the ManyDogs consortium's ability to address our five aims. To achieve Aim 1's

goal of replicating important studies, we selected a seminal research question with mixed results reported in the literature. To directly quantify the impact of key moderators, such as breed differences in point following behavior, we address Aim 2 by recruiting a sufficiently large and diverse sample of participating laboratories. We developed a standardized experimental protocol with initial consensus across select canine cognition groups in North America to address Aim 3. This was followed by a larger global expansion with additional feedback and refinement to facilitate Aim 4's emphasis on understanding cultural differences. To further this aim, ManyDogs 1 currently includes data collection from collaborators in North America, South America, and Europe (Figure 1). This geographic diversity already captures some variability in dog training and rearing practices. Nonetheless, we acknowledge that cultural diversity, particularly outside of Western countries, is an active area for growth that we will return to below. Finally, in implementing ManyDogs 1, we fulfill Aim 5, identifying shared values and practices based on transparency and reproducibility in our research. This has guided our decision making and project development, including pre-registering our analyses, publishing in open-access journals, and data transparency.

**Figure 1**

*Map of current distribution of contributors for ManyDogs*




### *Participation in ManyDogs*

As discussed above, one of the key values of ManyDogs is to foster participation at all career stages. By this metric ManyDogs has been quite successful, including involvement from individuals of almost all career stages, as highlighted in Figure 2. Furthermore, beyond involvement in data collection, ManyDogs allows for additional avenues to authorship, in project areas including, but not limited to, data organization, analysis, and writing, that can accommodate a variety of individual needs. While ManyDogs has substantial undergraduate involvement, especially in data collection, there is currently comparatively little undergraduate representation in contributing to writing. As we continue to develop the consortium, ManyDogs can continue to improve inclusivity by developing more formal mentorship schemes, for instance to support and train undergraduate students in scientific writing.

**Figure 2**

*Bar chart summarizing the distribution of career stages involved in ManyDogs 1 and ManyDogs Intro (the present publication). Note that involvement in both ManyDogs 1 and ManyDogs Intro may fluctuate given these projects are on-going. These values are accurate as of September 2022.*



Taken together, ManyDogs 1 is a successful case study for accomplishing our scientific aims within a collaborative framework. Throughout this process, we have identified multiple refinements for future ManyDogs projects. Due to ManyDogs' origins within an academic environment, involvement has largely consisted of university affiliated academics (e.g., students, researchers, educators), pet dogs, and, indirectly, their owners/guardians (Figure 3). While this large-scale collaboration is no small feat, it is our hope that future ManyDogs studies increase representation from a larger number of industry, applied, and other professionals. Further, while the majority of ManyDogs and ManyDogs 1 contributors are based in North America and Europe (Figure 1), we are currently recruiting additional involvement from other continents such Asia, South America, and Australia. Similarly, the protocol for ManyDogs 1 was designed for pet and

working dogs; however, the majority of the world's dogs are free-ranging (Lord et al., 2013).

Future studies may be designed for greater flexibility to incorporate free-ranging dogs to better represent the dog community.

**Figure 3**

*A visual and conceptual representation of who is, and can be, involved in ManyDogs?*



*Note.* This figure broadly demonstrates those currently involved in ManyDogs (primarily Academic Professionals, and Dogs and Owners, identified in light blue) while highlighting additional canine professionals (Industry, in yellow, and Applied Professional in orange, and likely others in The Future, in dark blue) the consortium aims to involve.

Beyond promoting geographic diversity both within the research team and in the areas in which research is conducted, a future direction for ManyDogs includes a greater focus on

inclusion, accessibility, and diversity. Of particular note, in recruiting culturally and geographically diverse collaborators, we have been faced with issues such as language barriers when it comes to translating materials and methods. Together, we have been able to translate ManyDogs 1 materials into seven languages, including Croatian, German, Hungarian, Italian, Polish, Spanish, and Turkish. However, these challenges highlight the need, in general, for more accessible technological tools, practices, and spaces.

Finally, we pledge our commitment to supporting historically excluded and currently marginalized populations within our community. At present, opportunities are currently available through internship programs (e.g., the NSF-REU program) through our academic contributors and collaborators and targeted at providing undergraduate students from underrepresented minority groups with research experience and mentoring. As we continue to develop and grow the consortium, we are excited about the possibility to establish additional opportunities to improve and promote accessibility, diversity, and inclusion within ManyDogs, but also, canine science and ManyX projects.

More generally, as highlighted above, while adopting a big team ManyX model provides many benefits, it is also accompanied by unique challenges. The first of these is the increased administrative load required to organize collaborator contributions, set project milestones, and track progress for sub-projects while steering the consortium as a whole. Second, securing funding for big team science projects is difficult, as many traditional funding sources (i.e., government granting agencies, foundations, and educational institutions) do not recognize distributed networks of scientists as eligible recipients. Specialized funding opportunities for big team science projects may help minimize barriers that impede broad scale participation in science. By supporting collaborative research teams, funding can be used not only to procure

specialized training and equipment needed for experimentation, but also to maximize inclusion, equity, and diversity at a global level. Finally, current evaluation schemes and authorship conventions in comparative cognition do not incentivize scientists to invest time or effort into team projects with large numbers of co-authors. These challenges have been recently discussed by other ManyX projects, and we recommend referring to their insightful treatises on moving big team science forward (e.g., Coles et al., 2022; Forscher et al., 2022). Regardless of these challenges, ManyDogs provides a platform that allows for a broad, interdisciplinary network in which researchers, industry professionals, applied professionals, pet owners and more, can identify and propose areas of research, contribute to the growth of scientific knowledge, and translate research findings into direct and indirect benefits to both humans and dogs.

## Conclusion

In recent years, research on canine science has exploded, revealing dogs as a key study system for understanding human health, evolutionary processes, applied science, and behavior and cognition. From the psychobiology of aging and dementia to the cognitive outcomes of domestication to the training and selection of working and pet dogs, we can address many critical questions by examining this incredible companion species and its relationship with humans. Yet the extensive variation observed in dogs across individuals, breeds, and cultures poses challenges to the systematic study of their behavior. Many important questions cannot be tackled by single labs with limited sample sizes. This is where big team science frameworks are needed.

ManyDogs offers a systematic approach to addressing questions of canine behavior and cognition that were previously unanswerable or whose answers are thus far inconclusive. By developing ideas and generating data through multi-lab collaborations, we can obtain larger

samples to achieve the project's scientific goals of investigating moderators of and cultural differences in behavior and cognition, replicating important studies, developing methodological best practices, and promoting replicable science. ManyDogs can address previous limitations in individual lab studies and previous big team science frameworks to deepen our understanding of canine behavior and cognition. We believe this approach can provide the tools to develop more complete theories of behavior and cognition as well as improve dog welfare, human healthcare, and the millennia-old canine-human bond.

## **Author Contributions**

**Conceptualization:** Sarah-Elizabeth Byosiere, Julia Espinosa, C.-N. Alexandrina Guran, Valerie A. Kuhlmeier, Madeline H. Pelgrim, and Jeffrey R. Stevens. **Project administration:** Sarah-Elizabeth Byosiere, Julia Espinosa, and Jeffrey R. Stevens. **Visualization:** Sarah-Elizabeth Byosiere, Daniel J. Horschler, Dana Ravid-Schurr, and Jeffrey R. Stevens. **Writing - original draft:** Emily E. Bray, Sarah-Elizabeth Byosiere, Julia Espinosa, Gitanjali E. Gnanadesikan, C.-N. Alexandrina Guran, Elizabeth Hare, Ludwig Huber, Evan L. MacLean, Madeline H. Pelgrim, Bryan Perez, Liza Rothkoff, Courtney L. Sexton, Zachary A. Silver, and Jeffrey R. Stevens. **Writing - review & editing:** Daniela Alberghina, Sarah-Elizabeth Byosiere, Daphna Buchsbaum, Julia Espinosa, Daniel J. Horschler, and Valerie A. Kuhlmeier, Jeffrey R. Stevens.

## **Funding Statement**

Sarah-Elizabeth Byosiere was supported by a PSC-CUNY Award (Research Award - TRADB-53-86), jointly funded by The Professional Staff Congress and The City University of New York;

Gitanjali E. Gnanadesikan was supported by National Science Foundation Graduate Research Fellowship Program; Daniel J. Horschler was supported by National Science Foundation Postdoctoral Research Fellowship; Ludwig Huber was supported by FWF grant W1262-B29 (Austrian Science Fund); Valerie A. Kuhlmeier was supported by Natural Sciences and Engineering Research Council of Canada; Jeffrey R. Stevens was supported by National Science Foundation grant NSF-1658837.

## References

- Arden, R., Bensky, M. K., & Adams, M. J. (2016). A review of cognitive abilities in dogs, 1911 through 2016: More individual differences, please! *Current Directions in Psychological Science*, 25(5), 307–312. <https://doi.org/10.1177/0963721416667718>
- Aria, M., Alterisio, A., Scandurra, A., Pinelli, C., & D'Aniello, B. (2021). The scholar's best friend: Research trends in dog cognitive and behavioral studies. *Animal Cognition*, 24(3), 541–553. <https://doi.org/10.1007/s10071-020-01448-2>
- Asendorpf, J. B., Conner, M., De Fruyt, F., De Houwer, J., Denissen, J. J. A., Fiedler, K., Fiedler, S., Funder, D. C., Kliegl, R., Nosek, B. A., Perugini, M., Roberts, B. W., Schmitt, M., van Aken, M. A. G., Weber, H., & Wicherts, J. M. (2013). Recommendations for increasing replicability in psychology. *European Journal of Personality*, 27(2), 108–119. <https://doi.org/10.1002/per.1919>
- Barrios, N., González-Lagos, C., Dreger, D. L., Parker, H. G., Nourdin-Galindo, G., Hogan, A. N., Gómez, M. A., & Ostrander, E. A. (2022). Patagonian sheepdog: Genomic analyses trace the footprints of extinct UK herding dogs to South America. *PLOS Genetics*, 18(4), e1010160. <https://doi.org/10.1371/journal.pgen.1010160>
- Bensky, M. K., Gosling, S. D., & Sinn, D. L. (2013). The world from a dog's point of view: A review and synthesis of dog cognition research. In H. J. Brockmann, T. J. Roper, M. Naguib, J. C. Mitani, L. W. Simmons, & L. Barrett (Eds.), *Advances in the Study of Behavior* (Vol. 45, pp. 209–406). Academic Press. <https://doi.org/10.1016/B978-0-12-407186-5.00005-7>
- Bergen-Cico, D., Smith, Y., Wolford, K., Gooley, C., Hannon, K., Woodruff, R., Spicer, M., & Gump, B. (2018). Dog ownership and training reduces post-traumatic stress symptoms

- and increases self-compassion among veterans: Results of a longitudinal control study. *Journal of Alternative and Complementary Medicine*, 24(12), 1166–1175.
- <https://doi.org/10.1089/acm.2018.0179>
- Bergström, A., McCarthy, S. A., Hui, R., Almarri, M. A., Ayub, Q., Danecek, P., Chen, Y., Felkel, S., Hallast, P., Kamm, J., Blanché, H., Deleuze, J.-F., Cann, H., Mallick, S., Reich, D., Sandhu, M. S., Skoglund, P., Scally, A., Xue, Y., ... Tyler-Smith, C. (2020). Insights into human genetic variation and population history from 929 diverse genomes. *Science*, 367(6484), eaay5012. <https://doi.org/10.1126/science.aay5012>
- Berns, G. S., Brooks, A. M., & Spivak, M. (2012). Functional MRI in awake unrestrained dogs. *PLOS ONE*, 7(5), e38027. <https://doi.org/10.1371/journal.pone.0038027>
- Bódizs, R., Kis, A., Gácsi, M., & Topál, J. (2020). Sleep in the dog: Comparative, behavioral and translational relevance. *Current Opinion in Behavioral Sciences*, 33, 25–33.
- <https://doi.org/10.1016/j.cobeha.2019.12.006>
- Brady, K., Hewison, L., Wright, H., Zulch, H., Cracknell, N., & Mills, D. (2018). A spatial discounting test to assess impulsivity in dogs. *Applied Animal Behaviour Science*, 202, 77–84. <https://doi.org/10.1016/j.applanim.2018.01.003>
- Bray, E. E., Gnanadesikan, G. E., Horschler, D. J., Levy, K. M., Kennedy, B. S., Famula, T. R., & MacLean, E. L. (2021). Early-emerging and highly heritable sensitivity to human communication in dogs. *Current Biology*, 31(14), 3132-3136.e5.
- <https://doi.org/10.1016/j.cub.2021.04.055>
- Bray, E. E., Gruen, M. E., Gnanadesikan, G. E., Horschler, D. J., Levy, K. M., Kennedy, B. S., Hare, B. A., & MacLean, E. L. (2021). Dog cognitive development: A longitudinal study across the first 2 years of life. *Animal Cognition*, 24(2), 311–328.

<https://doi.org/10.1007/s10071-020-01443-7>

Bray, E. E., Levy, K. M., Kennedy, B. S., Duffy, D. L., Serpell, J. A., & MacLean, E. L. (2019).

Predictive models of assistance dog training outcomes using the Canine Behavioral Assessment and Research Questionnaire and a standardized temperament evaluation.  
*Frontiers in Veterinary Science*, 6.

<https://www.frontiersin.org/articles/10.3389/fvets.2019.00049>

Bray, E. E., Otto, C. M., Udell, M. A. R., Hall, N. J., Johnston, A. M., & MacLean, E. L. (2021).

Enhancing the selection and performance of working dogs. *Frontiers in Veterinary Science*, 8, 644431. <https://doi.org/10.3389/fvets.2021.644431>

Bray, E. E., Raichlen, D. A., Forsyth, K. K., Promislow, D. E. L., Alexander, G. E., MacLean, E. L., & Dog Aging Project Consortium. (2022). *Associations between physical activity and cognitive dysfunction in older companion dogs: Results from the Dog Aging Project* [Preprint]. <https://doi.org/10.1101/2022.04.20.488879>

Bray, E. E., Zheng, Z., Tolbert, M. K., McCoy, B. M., Dog Aging Project Consortium, Akey, J. M., Benton, B., Borenstein, E., Castelhano, M. G., Coleman, A. E., Creevy, K. E., Crowder, K., Dunbar, M. D., Fajt, V. R., Fitzpatrick, A. L., Jeffrey, U., Jonlin, E. C., Karlsson, E. K., Levine, J. M., ... Kerr, K. F. (2022). Once-daily feeding is associated with better health in companion dogs: Results from the Dog Aging Project. *GeroScience*, 44(3), 1779–1790. <https://doi.org/10.1007/s11357-022-00575-7>

Bunford, N., Andics, A., Kis, A., Miklósi, Á., & Gácsi, M. (2017). *Canis familiaris* as a model for non-invasive comparative neuroscience. *Trends in Neurosciences*, 40(7), 438–452.

<https://doi.org/10.1016/j.tins.2017.05.003>

Byers-Heinlein, K., Bergmann, C., Davies, C., Frank, M. C., Hamlin, J. K., Kline, M.,

- Kominsky, J. F., Kosie, J. E., Lew-Williams, C., Liu, L., Mastroberardino, M., Singh, L., Waddell, C. P. G., Zettersten, M., & Soderstrom, M. (2020). Building a collaborative psychological science: Lessons learned from ManyBabies 1. *Canadian Psychology/Psychologie Canadienne*, 61(4), 349–363.  
<https://doi.org/10.1037/cap0000216>
- Camerer, C. F., Dreber, A., Holzmeister, F., Ho, T.-H., Huber, J., Johannesson, M., Kirchler, M., Nave, G., Nosek, B. A., Pfeiffer, T., Altmejd, A., Buttrick, N., Chan, T., Chen, Y., Forsell, E., Gampa, A., Heikensten, E., Hummer, L., Imai, T., ... Wu, H. (2018). Evaluating the replicability of social science experiments in Nature and Science between 2010 and 2015. *Nature Human Behaviour*, 2(9), 637–644.  
<https://doi.org/10.1038/s41562-018-0399-z>
- Catala, A., Mang, B., Wallis, L., & Huber, L. (2017). Dogs demonstrate perspective taking based on geometrical gaze following in a guesser–knower task. *Animal Cognition*, 20(4), 581–589. <https://doi.org/10.1007/s10071-017-1082-x>
- Clutton-Brock, J. (2016). Origins of the dog: The archaeological evidence. In *The Domestic Dog: Its Evolution, Behavior and Interactions with People* (pp. 7–21). Cambridge University Press.
- Cobb, M. L., Otto, C. M., & Fine, A. H. (2021). The animal welfare science of working dogs: Current perspectives on recent advances and future directions. *Frontiers in Veterinary Science*, 8, 666898. <https://doi.org/10.3389/fvets.2021.666898>
- Coles, N. A., Hamlin, J. K., Sullivan, L. L., Parker, T. H., & Altschul, D. (2022). Build up big-team science. *Nature*, 601(7894), 505–507. <https://doi.org/10.1038/d41586-022-00150-2>
- Coppinger, R., & Coppinger, L. (2002). *Dogs: A new understanding of canine origin, behavior*

- and evolution.* University of Chicago Press.
- Creevy, K. E., Akey, J. M., Kaeberlein, M., & Promislow, D. E. L. (2022). An open science study of ageing in companion dogs. *Nature*, 602(7895), Article 7895.  
<https://doi.org/10.1038/s41586-021-04282-9>
- Diesel, G., Brodbelt, D., & Pfeiffer, D. U. (2010). Characteristics of relinquished dogs and their owners at 14 rehoming centers in the United Kingdom. *Journal of Applied Animal Welfare Science*, 13(1), 15–30. <https://doi.org/10.1080/10888700903369255>
- Dodman, N. H., Karlsson, E. K., Moon-Fanelli, A., Galdzicka, M., Perloski, M., Shuster, L., Lindblad-Toh, K., & Ginns, E. I. (2010). A canine chromosome 7 locus confers compulsive disorder susceptibility. *Molecular Psychiatry*, 15(1), 8–10.  
<https://doi.org/10.1038/mp.2009.111>
- Duffy, D. L., & Serpell, J. A. (2012). Predictive validity of a method for evaluating temperament in young guide and service dogs. *Applied Animal Behaviour Science*, 138(1–2), 99–109.  
<https://doi.org/10.1016/j.applanim.2012.02.011>
- Ellingsen, K., Zanella, A. J., Bjerkås, E., & Indrebø, A. (2010). The relationship between empathy, perception of pain and attitudes toward pets among Norwegian dog owners. *Anthrozoös*, 23(3), 231–243. <https://doi.org/10.2752/175303710X12750451258931>
- Errington, T. M., Iorns, E., Gunn, W., Tan, F. E., Lomax, J., & Nosek, B. A. (2014). An open investigation of the reproducibility of cancer biology research. *eLife*, 3, e04333.  
<https://doi.org/10.7554/eLife.04333>
- Farrar, B. G., Boeckle, M., & Clayton, N. S. (2020). Replications in comparative cognition: What should we expect and how can we improve? *Animal Behavior and Cognition*, 7(1), 1–22. <https://doi.org/10.26451/abc.07.01.02.2020>

- Feuerbacher, E. N., & Wynne, C. D. L. (2011). A history of dogs as subjects in North American experimental psychological research. *Comparative Cognition & Behavior Reviews*, 6, 46–71. <https://doi.org/10.3819/ccbr.2011.60001>
- Forscher, P. S., Wagenmakers, E.-J., Coles, N. A., Silan, M. A., Dutra, N., Basnight-Brown, D., & IJzerman, H. (2022). The Benefits, Barriers, and Risks of Big-Team Science. *Perspectives on Psychological Science*, 17456916221082970. <https://doi.org/10.1177/17456916221082970>
- Frank, M. C., Bergelson, E., Bergmann, C., Cristia, A., Floccia, C., Gervain, J., Hamlin, J. K., Hannon, E. E., Kline, M., Levelt, C., Lew-Williams, C., Nazzi, T., Panneton, R., Rabagliati, H., Soderstrom, M., Sullivan, J., Waxman, S., & Yurovsky, D. (2017). A collaborative approach to infant research: Promoting reproducibility, best practices, and theory-building. *Infancy*, 22(4), 421–435. <https://doi.org/10.1111/infa.12182>
- Friesen, L. (2009). How a therapy dog may inspire student literacy engagement in the elementary language arts classroom. *LEARNing Landscapes*, 3(1), 105–122. <https://doi.org/10.36510/learnland.v3i1.320>
- Germonpré, M., Lázničková-Galetová, M., & Sablin, M. V. (2012). Palaeolithic dog skulls at the Gravettian Předmostí site, the Czech Republic. *Journal of Archaeological Science*, 39(1), 184–202. <https://doi.org/10.1016/j.jas.2011.09.022>
- Gnanadesikan, G. E., Hare, B., Snyder-Mackler, N., Call, J., Kaminski, J., Miklósi, Á., & MacLean, E. L. (2020). Breed differences in dog cognition associated with brain-expressed genes and neurological functions. *Integrative and Comparative Biology*, 60(4), 976–990. <https://doi.org/10.1093/icb/icaa112>
- Guy, M. K., Page, R. L., Jensen, W. A., Olson, P. N., Haworth, J. D., Searfoss, E. E., & Brown,

- D. E. (2015). The golden retriever lifetime study: Establishing an observational cohort study with translational relevance for human health. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1673), 20140230.  
<https://doi.org/10.1098/rstb.2014.0230>
- Hall, N. J., Johnston, A. M., Bray, E. E., Otto, C. M., MacLean, E. L., & Udell, M. A. R. (2021). Working dog training for the twenty-first century. *Frontiers in Veterinary Science*, 8, 646022. <https://doi.org/10.3389/fvets.2021.646022>
- Hare, B. (2017). Survival of the friendliest: *Homo sapiens* evolved via selection for prosociality. *Annual Review of Psychology*, 68, 155–186. <https://doi.org/10.1146/annurev-psych-010416-044201>
- Hare, B., Brown, M., Williamson, C., & Tomasello, M. (2002). The domestication of social cognition in dogs. *Science*, 298(5598), 1634–1636.  
<https://doi.org/10.1126/science.1072702>
- Hare, B., & Tomasello, M. (2005). Human-like social skills in dogs? *Trends in Cognitive Sciences*, 9(9), 439–444. <https://doi.org/10.1016/j.tics.2005.07.003>
- Head, E. (2013). A canine model of human aging and Alzheimer's disease. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1832(9), 1384–1389.  
<https://doi.org/10.1016/j.bbadi.2013.03.016>
- Hecht, E. E., Smaers, J. B., Dunn, W. D., Kent, M., Preuss, T. M., & Gutman, D. A. (2019). Significant neuroanatomical variation among domestic dog breeds. *The Journal of Neuroscience*, 39(39), 7748–7758. <https://doi.org/10.1523/JNEUROSCI.0303-19.2019>
- Hoffman, J. M., Creevy, K. E., Franks, A., O'Neill, D. G., & Promislow, D. E. L. (2018). The companion dog as a model for human aging and mortality. *Aging Cell*, 17(3), e12737.

<https://doi.org/10.1111/acel.12737>

Horowitz, A. (Ed.). (2014). *Domestic dog cognition and behavior*. Springer Berlin Heidelberg.

<https://doi.org/10.1007/978-3-642-53994-7>

Horschler, D. J., Hare, B., Call, J., Kaminski, J., Miklósi, Á., & MacLean, E. L. (2019). Absolute brain size predicts dog breed differences in executive function. *Animal Cognition*, 22(2), 187–198. <https://doi.org/10.1007/s10071-018-01234-1>

Hsu, Y., & Serpell, J. A. (2003). Development and validation of a questionnaire for measuring behavior and temperament traits in pet dogs. *Journal of the American Veterinary Medical Association*, 223(9), 1293–1300. <https://doi.org/10.2460/javma.2003.223.1293>

Huber, L. (2016). How dogs perceive and understand us. *Current Directions in Psychological Science*, 25(5), 339–344. <https://doi.org/10.1177/0963721416656329>

Huber, L., & Lamm, C. (2017). Understanding dog cognition by functional magnetic resonance imaging. *Learning & Behavior*, 45(2), 101–102. <https://doi.org/10.3758/s13420-017-0261-6>

Huber, L., Salobir, K., Mundry, R., & Cimarelli, G. (2020). Selective overimitation in dogs. *Learning & Behavior*, 48(1), 113–123. <https://doi.org/10.3758/s13420-019-00400-w>

Kaeberlein, M., Creevy, K. E., & Promislow, D. E. L. (2016). The Dog Aging Project: Translational geroscience in companion animals. *Mammalian Genome*, 27(7), 279–288. <https://doi.org/10.1007/s00335-016-9638-7>

Kaminski, J., & Marshall-Pescini, S. (Eds.). (2014). *The social dog: Behaviour and cognition*. Elsevier/Academic Press, Academic Press is an imprint of Elsevier.

Karl, S., Boch, M., Zamansky, A., van der Linden, D., Wagner, I. C., Völter, C. J., Lamm, C., & Huber, L. (2020). Exploring the dog–human relationship by combining fMRI, eye-

- tracking and behavioural measures. *Scientific Reports*, 10(1), 22273.  
<https://doi.org/10.1038/s41598-020-79247-5>
- Krause, M. A., Udell, M. A. R., Leavens, D. A., & Skopos, L. (2018). Animal pointing: Changing trends and findings from 30 years of research. *Journal of Comparative Psychology*, 132(3), 326–345. <http://dx.doi.org/10.1037/com0000125>
- Kubinyi, E., Gácsi, M., Topál, J., & Miklósi, Á. (2022). Dog–wolf differences: Caution is needed to avoid overgeneralisation of scanty data. *Trends in Cognitive Sciences*, 26(9), 728–729.  
<https://doi.org/10.1016/j.tics.2022.05.003>
- Kwan, J. Y., & Bain, M. J. (2013). Owner attachment and problem behaviors related to relinquishment and training techniques of dogs. *Journal of Applied Animal Welfare Science*, 16(2), 168–183. <https://doi.org/10.1080/10888705.2013.768923>
- Lambert, M. L., Farrar, B. G., Garcia-Pelegrin, E., Reber, S., & Miller, R. (2022). ManyBirds: A multi-site collaborative open science approach to avian cognition and behaviour research. In *Animal Behavior and Cognition* (Vol. 9, Issue 1, pp. 133–152).  
<https://doi.org/10.26451/abc.09.01.11.2022>
- Lampe, M., Bräuer, J., Kaminski, J., & Virányi, Z. (2017). The effects of domestication and ontogeny on cognition in dogs and wolves. *Scientific Reports*, 7(1), 11690.  
<https://doi.org/10.1038/s41598-017-12055-6>
- Larson, G., & Bradley, D. G. (2014). How Much Is That in Dog Years? The Advent of Canine Population Genomics. *PLOS Genetics*, 10(1), e1004093.  
<https://doi.org/10.1371/journal.pgen.1004093>
- Lazarowski, L., & Dorman, D. C. (2015). A comparison of pet and purpose-bred research dog (*Canis familiaris*) performance on human-guided object-choice tasks. *Behavioural*

- Processes*, 110, 60–67. <https://doi.org/10.1016/j.beproc.2014.09.021>
- Lazarowski, L., Rogers, B., Krichbaum, S., Haney, P., Smith, J. G., & Waggoner, P. (2021). Validation of a behavior test for predicting puppies' suitability as detection dogs. *Animals*, 11(4), Article 4. <https://doi.org/10.3390/ani11040993>
- Lazzaroni, M., Marshall-Pescini, S., Manzenreiter, H., Gosch, S., Přibilová, L., Darc, L., McGetrick, J., & Range, F. (2020). Why do dogs look back at the human in an impossible task? Looking back behaviour may be over-interpreted. *Animal Cognition*, 23(3), 427–441. <https://doi.org/10.1007/s10071-020-01345-8>
- Li, P. J., Sun, J., & Yu, D. (2017). Dog “meat” consumption in China: A survey of the controversial eating habit in two cities. *Society & Animals*, 25(6), 513–532. <https://doi.org/10.1163/15685306-12341471>
- Lonardo, L., Völter, C. J., Lamm, C., & Huber, L. (2021). Dogs follow human misleading suggestions more often when the informant has a false belief. *Proceedings of the Royal Society B: Biological Sciences*, 288(1955), 20210906. <https://doi.org/10.1098/rspb.2021.0906>
- Lord, K., Feinstein, M., Smith, B., & Coppinger, R. (2013). Variation in reproductive traits of members of the genus Canis with special attention to the domestic dog (*Canis familiaris*). *Behavioural Processes*, 92, 131–142. <https://doi.org/10.1016/j.beproc.2012.10.009>
- MacLean, E. L., Fine, A., Herzog, H., Strauss, E., & Cobb, M. L. (2021). The new era of canine science: Reshaping our relationships with dogs. *Frontiers in Veterinary Science*, 8, 675782. <https://doi.org/10.3389/fvets.2021.675782>
- MacLean, E. L., & Hare, B. (2018). Enhanced selection of assistance and explosive detection dogs using cognitive measures. *Frontiers in Veterinary Science*, 5, 236.

<https://doi.org/10.3389/fvets.2018.00236>

MacLean, E. L., Herrmann, E., Suchindran, S., & Hare, B. (2017). Individual differences in cooperative communicative skills are more similar between dogs and humans than chimpanzees. *Animal Behaviour*, 126, 41–51.

<https://doi.org/10.1016/j.anbehav.2017.01.005>

MacLean, E. L., Snyder-Mackler, N., vonHoldt, B. M., & Serpell, J. A. (2019). Highly heritable and functionally relevant breed differences in dog behaviour. *Proceedings of the Royal Society B: Biological Sciences*, 286(1912), 20190716.

<https://doi.org/10.1098/rspb.2019.0716>

Maginnity, M. E., & Grace, R. C. (2014). Visual perspective taking by dogs (*Canis familiaris*) in a guesser–knower task: Evidence for a canine theory of mind? *Animal Cognition*, 17(6), 1375–1392. <https://doi.org/10.1007/s10071-014-0773-9>

Many Primates, Altschul, D. M., Beran, M. J., Bohn, M., Call, J., DeTroy, S., Duguid, S. J., Egelkamp, C. L., Fichtel, C., Fischer, J., Flessert, M., Hanus, D., Haun, D. B. M., Haux, L. M., Hernandez-Aguilar, R. A., Herrmann, E., Hopper, L. M., Joly, M., Kano, F., ... Watzek, J. (2019). Establishing an infrastructure for collaboration in primate cognition research. *PLOS One*, 14(10), e0223675. <https://doi.org/10.1371/journal.pone.0223675>

ManyDogs Project, Espinosa, J., Bray, E., Buchsbaum, D., Byosiere, S.-E., Byrne, M., Freeman, M. S., Gnanadesikan, G. E., Gurian, C.-N. A., Horschler, D. J., Huber, L., Johnston, A. M., MacLean, E. L., Pelgrim, M. H., Santos, L., Silver, Z. A., Stevens, J. R., Völter, C. J., & Zipperling, L. (2021). *ManyDogs 1: A multi-lab replication study of dogs' pointing comprehension*. PsyArXiv. <https://doi.org/10.31234/osf.io/f86jq>

ManyPrimates, Altschul, D. M., Beran, M. J., Bohn, M., Caspar, K. R., Fichtel, C., Försterling,

- M., Grebe, N. M., Hernandez-Aguilar, R. A., Kwok, S. C., Llorente, M., Motes-Rodrigo, A., Proctor, D., Sánchez-Amaro, A., Simpson, E. A., Szabelska, A., Taylor, D., Mescht, J. van der, Völter, C. J., & Watzek, J. (2019). Collaborative open science as a way to reproducibility and new insights in primate cognition research. *Japanese Psychological Review*, 62(3), 205–220. [https://doi.org/10.24602/sjpr.62.3\\_205](https://doi.org/10.24602/sjpr.62.3_205)
- Marshall-Pescini, S., Passalacqua, C., Barnard, S., Valsecchi, P., & Prato-Previde, E. (2009). Agility and search and rescue training differently affects pet dogs' behaviour in socio-cognitive tasks. *Behavioural Processes*, 81(3), 416–422.  
<https://doi.org/10.1016/j.beproc.2009.03.015>
- Marshall-Pescini, S., Schwarz, J. F. L., Kostelnik, I., Virányi, Z., & Range, F. (2017). Importance of a species' socioecology: Wolves outperform dogs in a conspecific cooperation task. *Proceedings of the National Academy of Sciences*, 114(44), 11793–11798. <https://doi.org/10.1073/pnas.1709027114>
- Marshall-Pescini, S., Valsecchi, P., Petak, I., Accorsi, P. A., & Previde, E. P. (2008). Does training make you smarter? The effects of training on dogs' performance (*Canis familiaris*) in a problem solving task. *Behavioural Processes*, 78(3), 449–454.  
<https://doi.org/10.1016/j.beproc.2008.02.022>
- Mazzatorta, A., Carluccio, A., Robbe, D., Giulio, C. D., & Cellerino, A. (2017). The companion dog as a unique translational model for aging. *Seminars in Cell & Developmental Biology*, 70, 141–153. <https://doi.org/10.1016/j.semcd.2017.08.024>
- McCreary, M. K., Jones, S. V. R., & Kuhlmeier, V. A. (2022). Following the human point: Research with nonhuman animals since Povinelli, Nelson, and Boysen (1990). *PsyArXiv*. <https://doi.org/10.31234/osf.io/92vsx>

- Mehrkam, L. R., & Wynne, C. D. L. (2014). Behavioral differences among breeds of domestic dogs (*Canis lupus familiaris*): Current status of the science. *Applied Animal Behaviour Science*, 155, 12–27. <https://doi.org/10.1016/j.applanim.2014.03.005>
- Miklósi, Á. (2015). *Dog behaviour, evolution, and cognition* (Second Edition). Oxford University Press.
- Miklósi, Á. (2018). The Dog: A Natural History. In *The Dog*. Princeton University Press.  
<https://doi.org/10.23943/9781400889990>
- Miklósi, Á., & Kubinyi, E. (2016). Current Trends in Canine Problem-Solving and Cognition. *Current Directions in Psychological Science*, 25(5), 300–306. PMC.  
<https://doi.org/10.1177/096372141666606>
- Miklósi, Á., Kubinyi, E., Topál, J., Gácsi, M., Virányi, Z., & Csányi, V. (2003). A simple reason for a big difference. *Current Biology*, 13(9), 763–766. [https://doi.org/10.1016/S0960-9822\(03\)00263-X](https://doi.org/10.1016/S0960-9822(03)00263-X)
- Miklósi, Á., Polgárdi, R., Topál, J., & Csányi, V. (1998). Use of experimenter-given cues in dogs. *Animal Cognition*, 1(2), 113–121. <https://doi.org/10.1007/s100710050016>
- Mohan-Gibbons, H., Weiss, E., & Slater, M. (2012). Preliminary investigation of food guarding behavior in shelter dogs in the United States. *Animals*, 2(3), Article 3.  
<https://doi.org/10.3390/ani2030331>
- Mongillo, P., Scandurra, A., Eatherington, C. J., D'Aniello, B., & Marinelli, L. (2019). Development of a spatial discount task to measure impulsive choices in dogs. *Animals*, 9(7), 469. <https://doi.org/10.3390/ani9070469>
- Morell, V. (2009). Going to the dogs. *Science*, 325(5944), 1062–1065.  
[https://doi.org/10.1126/science.325\\_1062](https://doi.org/10.1126/science.325_1062)

- Morrill, K., Hekman, J., Li, X., McClure, J., Logan, B., Goodman, L., Gao, M., Dong, Y., Alonso, M., Carmichael, E., Snyder-Mackler, N., Alonso, J., Noh, H. J., Johnson, J., Koltookian, M., Lieu, C., Megquier, K., Swofford, R., Turner-Maier, J., ... Karlsson, E. K. (2022). Ancestry-inclusive dog genomics challenges popular breed stereotypes. *Science*, 376(6592), eabk0639. <https://doi.org/10.1126/science.abk0639>
- Murray, J. K., Kinsman, R. H., Lord, M. S., Da Costa, R. E. P., Woodward, J. L., Owczarczak-Garstecka, S. C., Tasker, S., Knowles, T. G., & Casey, R. A. (2021). "Generation pup" – protocol for a longitudinal study of dog behaviour and health. *BMC Veterinary Research*, 17(1), 1–17. <https://doi.org/10.1186/s12917-020-02730-8>
- Olsen, M. R. (2018). A case for methodological overhaul and increased study of executive function in the domestic dog (*Canis lupus familiaris*). *Animal Cognition*, 21(2), 175–195. <https://doi.org/10.1007/s10071-018-1162-6>
- Open Science Collaboration. (2015). Estimating the reproducibility of psychological science. *Science*, 349(6251), aac4716. <https://doi.org/10.1126/science.aac4716>
- Osthaus, B., Lea, S. E., & Slater, A. M. (2005). Dogs (*Canis lupus familiaris*) fail to show understanding of means-end connections in a string-pulling task. *Animal Cognition*, 8(1), 37–47.
- Ostrander, E. A., Wang, G.-D., Larson, G., vonHoldt, B. M., Davis, B. W., Jagannathan, V., Hitte, C., Wayne, R. K., & Zhang, Y.-P. (2019). Dog10K: An international sequencing effort to advance studies of canine domestication, phenotypes and health. *National Science Review*, 6(4), 810–824. <https://doi.org/10.1093/nsr/nwz049>
- Parker, H. G., Dreger, D. L., Rimbault, M., Davis, B. W., Mullen, A. B., Carpintero-Ramirez, G., & Ostrander, E. A. (2017). Genomic Analyses Reveal the Influence of Geographic

- Origin, Migration, and Hybridization on Modern Dog Breed Development. *Cell Reports*, 19(4), 697–708. <https://doi.org/10.1016/j.celrep.2017.03.079>
- Pelgrim, M. H., Espinosa, J., Tecwyn, E. C., Marton, S. M., Johnston, A., & Buchsbaum, D. (2021). What's the point? Domestic dogs' sensitivity to the accuracy of human informants. *Animal Cognition*, 24(2), 281–297. <https://doi.org/10.1007/s10071-021-01493-5>
- Perri, A. R., Feuerborn, T. R., Frantz, L. A., Larson, G., Malhi, R. S., Meltzer, D. J., & Witt, K. E. (2021). Dog domestication and the dual dispersal of people and dogs into the Americas. *Proceedings of the National Academy of Sciences*, 118(6), e2010083118. <https://doi.org/10.1073/pnas.2010083118>
- Pfaffenberger, C. J., Scott, J., Fuller, J., Ginsburg, B., & Biefelt, S. (1976). *Guide dogs for the blind: Their selection, development, and training*. Elsevier Scientific Publishing Company.
- Range, F., & Marshall-Pescini, S. (2022). Comparing wolves and dogs: Current status and implications for human ‘self-domestication.’ *Trends in Cognitive Sciences*, 26(4), 337–349. <https://doi.org/10.1016/j.tics.2022.01.003>
- Range, F., Viranyi, Z., & Huber, L. (2007). Selective imitation in domestic dogs. *Current Biology*, 17(10), 868–872. <https://doi.org/10.1016/j.cub.2007.04.026>
- Rowell, J. L., McCarthy, D. O., & Alvarez, C. E. (2011). Dog models of naturally occurring cancer. *Trends in Molecular Medicine*, 17(7), 380–388. <https://doi.org/10.1016/j.molmed.2011.02.004>
- Ruple, A., MacLean, E., Snyder-Mackler, N., Creevy, K. E., & Promislow, D. (2021). Dog models of aging. *Annual Review of Animal Biosciences*, 10, 419–439.

<https://doi.org/10.1146/annurev-animal-051021-080937>

Serpell, J. (2017). From paragon to pariah: Cross-cultural perspectives on attitudes to dogs. *The Domestic Dog. Its Evolution, Behaviour and Interactions with People*, 300–316.

Serpell, J. (2021). Commensalism or cross-species adoption? A critical review of theories of wolf domestication. *Frontiers in Veterinary Science*, 8, 662370.

<https://doi.org/10.3389/fvets.2021.662370>

Serpell, J., & Duffy, D. (2014). Dog Breeds and Their Behavior. In A. Horowitz (Ed.), *Domestic Dog Cognition and Behavior: The Scientific Study of Canis familiaris* (pp. 31–57).

Springer. [https://doi.org/10.1007/978-3-642-53994-7\\_2](https://doi.org/10.1007/978-3-642-53994-7_2)

Serpell, J., Duffy, D. L., & Jagoe, J. A. (2016). Becoming a dog: Early experience and the development of behavior. In J. Serpell (Ed.), *The Domestic Dog* (2nd ed., pp. 93–117).

Cambridge University Press. <https://doi.org/10.1017/9781139161800.006>

Serpell, J., & Hsu, Y. (2001). Development and validation of a novel method for evaluating behavior and temperament in guide dogs. *Applied Animal Behaviour Science*, 72(4), 347–364. [https://doi.org/10.1016/S0168-1591\(00\)00210-0](https://doi.org/10.1016/S0168-1591(00)00210-0)

Silver, Z. A., Furlong, E. E., Johnston, A. M., & Santos, L. R. (2021). Training differences predict dogs' (*Canis lupus familiaris*) preferences for prosocial others. *Animal Cognition*, 24(1), 75–83. <https://doi.org/10.1007/s10071-020-01417-9>

Stevens, J. R., Mathias, M., Herridge, M., Hughes-Duvall, K., Wolff, L. M., & Yohe, M. (2022). Do owners know how impulsive their dogs are? *Animal Behavior and Cognition*, 9(3), 261–286. <https://doi.org/10.26451/abc.09.03.02.2022>

Stewart, L., MacLean, E. L., Ivy, D., Woods, V., Cohen, E., Rodriguez, K., McIntyre, M., Mukherjee, S., Call, J., Kaminski, J., Miklósi, Á., Wrangham, R. W., & Hare, B. (2015).

- Citizen Science as a New Tool in Dog Cognition Research. *PLOS ONE*, 10(9), e0135176.  
<https://doi.org/10.1371/journal.pone.0135176>
- Sulkama, S., Puurunen, J., Salonen, M., Mikkola, S., Hakanen, E., Araujo, C., & Lohi, H. (2021). Canine hyperactivity, impulsivity, and inattention share similar demographic risk factors and behavioural comorbidities with human ADHD. *Translational Psychiatry*, 11(1), 1–9.  
<https://doi.org/10.1038/s41398-021-01626-x>
- Sutter, N. B., & Ostrander, E. A. (2004). Dog star rising: The canine genetic system. *Nature Reviews Genetics*, 5(12), 900–910. <https://doi.org/10.1038/nrg1492>
- Svartberg, K. (2005). A comparison of behaviour in test and in everyday life: Evidence of three consistent boldness-related personality traits in dogs. *Applied Animal Behaviour Science*, 91(1), 103–128. <https://doi.org/10.1016/j.applanim.2004.08.030>
- Thalmann, O., Shapiro, B., Cui, P., Schuenemann, V. J., Sawyer, S. K., Greenfield, D., Germonpré, M. B., Sablin, M. V., López-Giráldez, F., & Domingo-Roura, X. (2013). Complete mitochondrial genomes of ancient canids suggest a European origin of domestic dogs. *Science*, 342(6160), 871–874. <https://doi.org/10.1126/science.1243650>
- The ManyBabies Consortium. (2020). Quantifying sources of variability in infancy research using the infant-directed-speech preference. *Advances in Methods and Practices in Psychological Science*, 3(1), 24–52. <https://doi.org/10.1177/2515245919900809>
- Thompkins, A. M., Deshpande, G., Waggoner, P., & Katz, J. S. (2016). Functional magnetic resonance imaging of the domestic dog: Research, methodology, and conceptual issues. *Comparative Cognition & Behavior Reviews*, 11, 63–82.  
<https://doi.org/10.3819/ccbr.2016.110004>
- Topál, J., Gergely, G., Erdőhegyi, Á., Csiba, G., & Miklósi, Á. (2009). Differential sensitivity to

- human communication in dogs, wolves, and human infants. *Science*, 325(5945), 1269–1272. <https://doi.org/10.1126/science.1176960>
- Trut, L. N. (1999). Early Canid Domestication: The Farm-Fox Experiment: Foxes bred for tamability in a 40-year experiment exhibit remarkable transformations that suggest an interplay between behavioral genetics and development. *American Scientist*, 87(2), 160–169. JSTOR.
- Udell, M. A. R., Dorey, N. R., & Wynne, C. D. L. (2010). What did domestication do to dogs? A new account of dogs' sensitivity to human actions. *Biological Reviews*, 85(2), 327–345. <https://doi.org/10.1111/j.1469-185X.2009.00104.x>
- Udell, M. A. R., & Wynne, C. D. L. (2011). Reevaluating canine perspective-taking behavior. *Learning & Behavior*, 39(4), 318–323. <https://doi.org/10.3758/s13420-011-0043-5>
- Vaterlaus-Whiteside, H., & Hartmann, A. (2017). Improving puppy behavior using a new standardized socialization program. *Applied Animal Behaviour Science*, 197, 55–61. <https://doi.org/10.1016/j.applanim.2017.08.003>
- Vilà, C., Maldonado, J., & Wayne, R. (1999). Phylogenetic relationships, evolution, and genetic diversity of the domestic dog. *Journal of Heredity*, 90(1), 71–77. <https://doi.org/10.1093/jhered/90.1.71>
- Virányi, Z., Gácsi, M., Kubinyi, E., Topál, J., Belényi, B., Ujfalussy, D., & Miklósi, Á. (2008). Comprehension of human pointing gestures in young human-reared wolves (*Canis lupus*) and dogs (*Canis familiaris*). *Animal Cognition*, 11(3), 373–387. <https://doi.org/10.1007/s10071-007-0127-y>
- vonHoldt, B. M., Pollinger, J. P., Lohmueller, K. E., Han, E., Parker, H. G., Quignon, P., Degenhardt, J. D., Boyko, A. R., Earl, D. A., & Auton, A. (2010). Genome-wide SNP

- and haplotype analyses reveal a rich history underlying dog domestication. *Nature*, 464(7290), 898–902. <https://doi.org/10.1038/nature08837>
- VonHoldt, B. M., Shuldiner, E., Koch, I. J., Kartzel, R. Y., Hogan, A., Brubaker, L., Wanser, S., Stahler, D., Wynne, C. D., & Ostrander, E. A. (2017). Structural variants in genes associated with human Williams-Beuren syndrome underlie stereotypical hypersociability in domestic dogs. *Science Advances*, 3(7), e1700398. <https://doi.org/10.1126/sciadv.1700398>
- Wagenmakers, E.-J. (2007). A practical solution to the pervasive problems of p values. *Psychonomic Bulletin & Review*, 14(5), 779–804. <https://doi.org/10.3758/BF03194105>
- Walther, S., Yamamoto, M., Thigpen, A. P., Garcia, A., Willits, N. H., & Hart, L. A. (2017). Assistance dogs: Historic patterns and roles of dogs placed by ADI or IGDF accredited facilities and by non-accredited U.S. facilities. *Frontiers in Veterinary Science*, 4. <https://doi.org/10.3389/fvets.2017.00001>
- Wan, M., Kubinyi, E., Miklósi, Á., & Champagne, F. (2009). A cross-cultural comparison of reports by German shepherd owners in Hungary and the United States of America. *Applied Animal Behaviour Science*, 121(3), 206–213. <https://doi.org/10.1016/j.applanim.2009.09.015>
- Webster, M. M., & Rutz, C. (2020). How STRANGE are your study animals? *Nature*, 582(7812), 337–340. <https://doi.org/10.1038/d41586-020-01751-5>
- Wrangham, R. W. (2019). Hypotheses for the evolution of reduced reactive aggression in the context of human self-domestication. *Frontiers in Psychology*, 10, 1914. <https://doi.org/10.3389/fpsyg.2019.01914>
- Wynne, C. D. L. (2016). What is special about dog cognition? *Current Directions in*

- Psychological Science*, 25(5), 345–350. <https://doi.org/10.1177/0963721416657540>
- Wynne, C. D. L., Udell, M. A. R., & Lord, K. A. (2008). Ontogeny's impacts on human-dog communication. *Animal Behaviour*, 76(4), e1–e4.  
<https://doi.org/10.1016/j.anbehav.2008.03.010>
- Youssef, S. A., Capucchio, M. T., Rofina, J. E., Chambers, J. K., Uchida, K., Nakayama, H., & Head, E. (2016). Pathology of the aging brain in domestic and laboratory animals, and animal models of human neurodegenerative diseases. *Veterinary Pathology*, 53(2), 327–348. <https://doi.org/10.1177/0300985815623997>